

\*\*Please complete this form and send it with your return\*\*

## **RETAILER INFORMATION**


Contact:					Date	e:		
Company:					Pho	ne:		
Address:					Fax:	_ Fax:		
City:	y: State/Pro			v.: Zip Code:				
Model #:	l #: Serie #:			date of purchase:				
		(tc		<b>K LIST</b> d by the retailed	er)			
Does the instrument shows signs of abuse, misuse, or is it damaged?		<b>2</b> Has the instrument been tested with a new battery?		Has the probe or electrode been cleaned in a cleaning solution?		Has the instrument been tested with a new probe or electrode?		
YES	NO 🔲	YES	NO	YES	NO 🔲	YES	NO 🔲	
		DESCR	IPTION O	F THE PRO	DBLEM			



## How to determine if a product is under guarantee

Serial Numbers are noted on a serial number sticker placed on both the product and packaging. Please always refer to the serial date on the actual product in case your customer has mixed up old packaging with a newer product.

Bluelab product serial numbers consist of three (3) parts:



## Example of how to read a serial number

Product Code CM1 = is a unique code referring a Combo meter in this instance

Date Code (in format YY MM) 1301 = the year and month the product was manufactured Year (2013) Month (January)

ID number 1234 = is a unique code for this product.

## Bluelab Product Guarantee periods for our products

Bluelab Product	Guarantee Period
Bluelab Truncheon® Nutrient Meters	5 years
Bluelab Combo Meter	5 years (6 months for pH probe)
Bluelab Combo Plus Meter	5 years (6 months for Leap probe)
Bluelab Multimedia pH Meter	5 years (6 months for Leap pH probe)
Bluelab Pulse Meter	1 year
Bluelab Guardian Monitor (Standard / Connect or inline versions)	2 years (6 months for pH probe/ 1-year inline pH probe)
Bluelab pH Pen	1 year

Bluelab Product	Guarantee Period		
Bluelab Conductivity Pen	1 year		
Bluelab Soil pH Pen	1 year		
Bluelab pH Probe	6 months		
Bluelab Leap pH Probe	6 months		
Bluelab inline pH probe	1 Year		
Bluelab pH Controller (Standard / Connect versions)	2 years (6 months for pH probe)		
Bluelab Pro Controller	2 years (6 months for pH probe)		
Bluelab PeriPod (M3 / M4 / L3)	2 years (6 months for pumps and tubing)		